



CURVED FLAP DISC

CURVED FLAP DISC

Hybrid flap disc for the perfect weld seam finish.

This flap disc delivers excellent performance and a fine surface quality on both steel and stainless steel (INOX). Thanks to its special design, the disc is ideal for processing fillet welds, where precision, control and consistent material removal are crucial.

stock removal: ●●●●●●●●●●
service life: ●●●●●●●●○
finishing: ●●●●●○○○○
recommended power: from 1200 W



INOX



HIGH-GRADE
ALLOYS



ALU



STEEL

grain: ceramic
backing: polyester
top coating: yes
working pressure: medium

APPLICATIONS

- **Versatile use**


Combines the functionality of a flap disc with added precision for fillet weld finishing.

- **Reliable and consistent**

Guarantees a perfect 8 mm radius for uniform rounding.

- **Efficient in use**

Enables fast, controlled and precise grinding of fillet welds.



CURVED FLAP DISC



diameter	grain	code	max RPM	
Ø 125	40	FCC/40/125	12000	10
Ø 125	60	FCC/60/125	12000	10





DISCOVER THE RANGE OF FLAP DISCS.

INDUSTRIAL INOX & STEEL



PERFORMANCE



ULTIMATE



CONTACT

Cibo

Deugenietstraat 5,
3150 Tildonk (Belgium)

+32 (0) 16 61 85 85
info@cibo.be

www.cibo.be